

Longer. Stronger. Yellow.

The new Klingspor
abrasive mop discs

SMT 626

/// SUPRA



The new Yellow line

SMT 626 SUPRA

The Classic line



We have perfected the SMT 626 by giving it even more power. The optimized flap angle and a newly developed high-performance abrasive cloth reduce wear to allow a long service life.

Applications

- ▶ Removal of weld seams and burrs
- ▶ Metalworking
- ▶ Plant construction
- ▶ Steel construction

SMT 626 SUPRA



Quality

SUPRA

Aggression	■ ■ ■ ■ ■ ■ ■ □
Service life	■ ■ ■ ■ ■ ■ ■ □



Recommended materials

Stainless steel	●
Steel	●



Properties

Corpus	glass fiber
Design	convex
Grain type	zirconia alumina

Diameter x bore hole in mm	Form	Abrasive grit	Maximum operating speed	Max. RPM	Packaging unit in pieces	Article number
100 x 16		40	80 m/s	15,300 rpm	10	321700
100 x 16		60	80 m/s	15,300 rpm	10	321681
100 x 16		80	80 m/s	15,300 rpm	10	321682
115 x 22.23		36	80 m/s	13,300 rpm	10	321686
115 x 22.23		40	80 m/s	13,300 rpm	10	321689
115 x 22.23		50	80 m/s	13,300 rpm	10	321692
115 x 22.23		60	80 m/s	13,300 rpm	10	321694
115 x 22.23		80	80 m/s	13,300 rpm	10	321697
115 x 22.23		120	80 m/s	13,300 rpm	10	321683
125 x 22.23		36	80 m/s	12,200 rpm	10	321687
125 x 22.23		40	80 m/s	12,200 rpm	10	321690
125 x 22.23		50	80 m/s	12,200 rpm	10	321693
125 x 22.23		60	80 m/s	12,200 rpm	10	321695
125 x 22.23		80	80 m/s	12,200 rpm	10	321698
125 x 22.23		120	80 m/s	12,200 rpm	10	321684
180 x 22.23		36	80 m/s	8,500 rpm	10	321688
180 x 22.23		40	80 m/s	8,500 rpm	10	321691
180 x 22.23		60	80 m/s	8,500 rpm	10	321696
180 x 22.23		80	80 m/s	8,500 rpm	10	321699

Other grits and sizes available on request.

Klingspor Schleifsysteme

GmbH & Co. KG

Hüttenstraße 36

35708 Haiger

Germany

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-186

Mail sales@klingspor.de

www.klingspor.de