

Longer. Stronger. Yellow.

The new Klingspor
abrasive mop discs

SMT 925

/// SPECIAL



The new Yellow line

SMT 925 SPECIAL

The Aggressive line



The improved integration of the grit in the new high-performance abrasive cloth and the sturdy, glass fiber reinforced plastic discs combine to provide maximum user-friendliness and even more material removal in record time.

Applications

- ▶ Removal of weld seams and burrs
- ▶ Metalworking
- ▶ Plant construction Steel construction

SMT 925 SPECIAL



Quality

SPECIAL

Aggression	■■■■■■■■■
Service life	■■■■■■■□



Recommended materials

Stainless steel	●
Steel	●



Properties

Corpus	glass fiber reinforced plastic
Design	convex, straight
Grain type	zirconia alumina

Diameter x bore hole in mm	Form	Abrasive grit	Maximum operating speed	Max. RPM	Packaging unit in pieces	Article number
115 x 22.23		36	80 m/s	13,300 rpm	10	321713
115 x 22.23		40	80 m/s	13,300 rpm	10	321714
115 x 22.23		60	80 m/s	13,300 rpm	10	321715
115 x 22.23		80	80 m/s	13,300 rpm	10	321716
115 x 22.23		36	80 m/s	13,300 rpm	10	321668
115 x 22.23		40	80 m/s	13,300 rpm	10	321670
115 x 22.23		60	80 m/s	13,300 rpm	10	321674
115 x 22.23		80	80 m/s	13,300 rpm	10	321677
125 x 22.23		36	80 m/s	12,200 rpm	10	321718
125 x 22.23		40	80 m/s	12,200 rpm	10	321719
125 x 22.23		60	80 m/s	12,200 rpm	10	321720
125 x 22.23		80	80 m/s	12,200 rpm	10	321721
125 x 22.23		40	80 m/s	12,200 rpm	10	321671
125 x 22.23		60	80 m/s	12,200 rpm	10	321675
125 x 22.23		80	80 m/s	12,200 rpm	10	321678
180 x 22.23		24	80 m/s	8,500 rpm	10	321667
180 x 22.23		36	80 m/s	8,500 rpm	10	321669
180 x 22.23		40	80 m/s	8,500 rpm	10	321672
180 x 22.23		60	80 m/s	8,500 rpm	10	321676

Other grits and sizes available on request.

Klingspor Schleifsysteme

GmbH & Co. KG

Hüttenstraße 36

35708 Haiger

Germany

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-186

Mail sales@klingspor.de

www.klingspor.de